

FRIEDMAN & BRUYA, INC.**ENVIRONMENTAL CHEMISTS**

Date of Report: January 31, 1995
Date Received: January 27, 1995
Project: 7238, Metro Self Monitor, PO #M40143
Date Samples Extracted: January 27, 1995

**RESULTS FROM THE ANALYSIS OF THE WATER SAMPLE
FOR CHROMIUM, COPPER, NICKEL AND ZINC
Samples Processed Using Method 3005
Results Reported as mg/L (ppm)**

<u>Sample ID</u>	<u>Chromium</u>	<u>Copper</u>	<u>Nickel</u>	<u>Zinc</u>
M40143	0.73	0.35	0.39	0.09
<u>Quality Assurance</u>				
Blank	<0.05	<0.05	<0.05	<0.05
M40143 (Duplicate)	0.77	0.35	0.43	<0.05
M40143 (Matrix Spike) % Recovery	98%	103%	98%	100%
M40143 (Matrix Spike Duplicate) % Recovery	98%	105%	99%	99%
Spike Blank % Recovery	102%	107%	102%	102%
Spike Level	5	5	10	5

01 ~~BB~~ AI
01.27.95
11:09

Send Report To:



SITE NO.	PROJECT NAME	PURCHASE ORDER #
7238	metro self monitor	m 40143

PROJECT LOCATION

REMARKS

SAMPLE DISPOSAL INFORMATION

☐ Dispose after 30 days
☒ Return Samples
☐ Call for Instructions

SIGNATURE	PRINT NAME	COMPANY	Date	Time
Relinquished by: 	GERALD A. Thompson	Alaska Copper Works	1/27/95	11:05 AM
Received by: 	CATHY RIGGS	FBI	1/27/95	11:06 AM
Relinquished by:				
Received by:				

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Andrew John Friedman
James E. Bruya, Ph.D.
(206) 285-8282

3012 16th Avenue West
Seattle, WA 98119-2029
FAX: (206) 283-5044

DUPLICATE COPY

January 31, 1995

INVOICE # 95ACU0131-1

**Alaskan Copper Works
628 South Hanford
Seattle, WA 98134**

**RE: Project 7238, Metro Self Monitor, PO #M40143: Results of testing requested
by Gerald Thompson, Project Leader for material submitted on January 27,
1995.**

**1 water sample analyzed for Chromium, Copper,
Nickel and Zinc @ \$65 per sample**

\$ 65.00

Amount Due

\$ 65.00

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Andrew John Friedman
James E. Bruya, Ph.D.
(206) 285-8282

3012 16th Avenue West
Seattle, WA 98119-2029
FAX: (206) 283-5044

January 31, 1995

**Gerald Thompson, Project Leader
Alaskan Copper Works
628 South Hanford
Seattle, WA 98134**


Dear Mr. Thompson:

**Enclosed are the results from the testing of material submitted on January 27, 1995
from your project #7238, Metro Self Monitor, PO #M40143.**

**We appreciate this opportunity to be of service to you and hope you will call if you
should have any questions.**

Sincerely,

FRIEDMAN & BRUYA, INC.



**Bradley T. Benson
Chemist**

**jdp
Enclosures**

ACU0131R

AKC-0013058